



CUPACLAD
by CUPA GROUP

NATURAL SLATE RAINSCREEN
CLADDING SYSTEMS

SYSTEM COMPONENTS

CUPACLAD® 101 <i>Logic, Random and Parallel</i>	
<ul style="list-style-type: none"> ① CUPA PIZARRAS Natural slate ② Self-drilling CUPACLAD® 101 screw ③ CUPACLAD® 101 horizontal batten ④ Vertical "L" batten ⑤ Self-drilling screw (substructure) ⑥ Metal bracket (fixed point) ⑦ Metal bracket (sliding point) 	


CUPACLAD® 201 <i>Vanguard</i>	
<ul style="list-style-type: none"> ① CUPA PIZARRAS Natural slate ② CUPACLAD® 201-V Clip ③ CUPACLAD® 201-V horizontal batten ④ Vertical "L" batten ⑤ CUPACLAD® 201-V top profile ⑥ Self-drilling screw (substructure) ⑦ Metal bracket (fixed point) ⑧ Metal bracket (sliding point) 	



CUPACLAD

CUPACLAD[®], natural slate cladding systems

CUPACLAD[®] combines the latest fixing solutions together with our highly durable natural slate with the efficiency of ventilated cladding systems, to create a innovative and sustainable alternative for any kind of cladding requirement.



-  Environmentally friendly and sustainable.
-  Improves energy efficiency.
-  Provides the ability for continuous exterior insulation.
-  Highly durable.
-  Maintenance free.
-  Quick and easy to install.
-  Modern, Contemporary design.
-  Lightweight and versatile.

“Developed alongside Danish architects and contractors, CUPACLAD[®] systems offer a revolution in cladding applications for natural slate.”





101 *Logic*

SIMPLE AND BALANCED



Slate size	16"x8" (400x200mm)
Nominal thickness	1/4"-3/8" (7.65mm)
Slates per ft ²	1.56
Weight per ft ² (slate)	≤ 6.14 lb/ft ²

CUPACLAD® 101 LOGIC features a balanced design that highlights the unique texture and looks of the natural slate.

CUPACLAD® 101 LOGIC system utilizes 16"x 8" slate with 2" overlaps that hide screws from view.





101 *Random*

DYNAMIC AND CREATIVE



Slate size	20"x10" (500x250mm) 20"x8" (500x200mm) 20"x6" (500x150mm)
Nominal thickness	1/4"x3/8" (7.65mm)
Slates per ft ²	1.25
Weight per ft ² (slate)	≤ 6.14 lb/ft ²

CUPACLAD® 101 RANDOM combines differing slate sizes, creating a dynamic and unique design.

CUPACLAD® 101 RANDOM features 20"x 10", 20"x 8" and 20"x 6" slate fitted horizontally. Our stainless steel screws are hidden by 2" slate overlaps, allowing our natural slate to shine as the main feature of the building.





101 Parallel


UNIFORM AND REGULAR



Slate size	16"x10" (400x250mm)
Nominal thickness	1/4"-3/8" (7.5mm)
Slates per ft ²	1.33
Weight per ft ² (slate)	≤ 6.14 lb/ft ²

CUPACLAD® 101 PARALLEL features a regular design with even joints. This results in a uniform and consistent layout that highlights the character of natural slate.

CUPACLAD® 101 PARALLEL features 16"x 10" horizontally aligned slate installed with screws hidden from view.





201 Vanguard

MODERN AND EFFICIENT



Slate size	24"x12" (600x300mm)
Nominal thickness	1/4"x3/8" (7.5mm)
Slates per ft ²	0.60
Weight per ft ² (slate)	≤ 4.10 lb/ft ²

CUPACLAD® 201 VANGUARD main feature is the combination of our largest size of slate and stainless steel clips resulting in a clean, contemporary appeal.

CUPACLAD® 201 VANGUARD features 24"x 12" slate fitted horizontally with visible clips.



CUPACLAD

Ph. 866-421-1171
cupaclad@cupapizarras.com
www.cupaclad.com

DISTRIBUTED BY:



VERMONT SLATE COMPANY

2600 Louisville Rd,
Savannah, GA
31415 - United States
info@vermontslateco.com
Ph. 866-339-2038
www.vermontslateco.com